

We claim:

1. A product cruncher which comprises
a main housing,
a secondary housing,
means for crunching pieces of a product,
a reservoir in said main housing for collecting particles of
the crunched product, and
an outlet for dispensing the particles of crunched product.

2. A product cruncher as set forth in claim 1, in which
said means for crunching said product is a non-movable tooth
means, and
a movable tooth means which moves relative to said non-movable
tooth means.

3. A product cruncher as set forth in claim 2, in which
said main housing includes an inlet through which crunched
particles fall into said reservoir.

4. A product cruncher as set forth in claim 2, in which
said movable teeth are secured onto a push rod, and
a spring means for applying an upward force on said push rod
to force said push rod into a rest position relative to the non-
movable teeth.

5. A product cruncher as set forth in claim 3 in which said movable teeth are secured onto a push rod, and a spring means for applying an upward force on said push rod to force said push rod into a rest position relative to the non-movable teeth.

6. A product cruncher as set forth in claim 3, which includes a stationary handle (32) fixed to and extending upwardly from said upper housing (20), and

a movable handle spaced from said stationary handle and pivoted about a pivot pin (36) secured in said secondary housing, said movable handle including a cam which contacts an upper end of the push rod for operation of the push rod.

7. A product cruncher as set forth in claim 4, which includes a stationary handle (32) fixed to and extending upwardly from said upper housing (20), and

a movable handle spaced from said stationary handle and pivoted about a pivot pin (36) secured in said secondary housing, said movable handle including a cam which contacts an upper end of the push rod for operation of the push rod.

8. A product cruncher as set forth in claim 5, which includes a stationary handle (32) fixed to and extending upwardly from said upper housing (20), and

a movable handle spaced from said stationary handle and

567V-246
pivoted about a pivot pin (36) secured in said secondary housing, said movable handle including a cam which contacts an upper end of the push rod for operation of the push rod.

9. A product cruncher as set forth in claim 1, in which said outlet includes a rotatable dispensing disk for dispensing crunched particles through said outlet of said main housing.

10. A product cruncher as set forth in claim 2, in which said outlet includes a rotatable dispensing disk for dispensing crunched particles through said outlet of said main housing.

11. A product cruncher as set forth in claim 3, in which said outlet includes a rotatable dispensing disk for dispensing crunched particles through said outlet of said main housing.

12. A product cruncher as set forth in claim 4, in which said outlet includes a rotatable dispensing disk for dispensing crunched particles through said outlet of said main housing.

13. A product cruncher as set forth in claim 5, in which said outlet includes a rotatable dispensing disk for dispensing crunched particles through said outlet of said main housing.

14. A product cruncher as set forth in claim 6, in which said outlet includes a rotatable dispensing disk for dispensing crunched

particles through said outlet of said main housing.

15. A product cruncher as set forth in claim 7, in which said outlet includes a rotatable dispensing disk for dispensing crunched particles through said outlet of said main housing.

16. A product cruncher as set forth in claim 8, in which said outlet includes a rotatable dispensing disk for dispensing crunched particles through said outlet of said main housing.

17. A product cruncher as set forth in claim 9, in which said main housing includes appendages which relate to some character or animal.